

XTOP AUTOMATIC SUSHI RICE SHEETER

TSM-900RS

Automatic maki rice sheet robot for making well-formed, even rice sheets.

- for Norimaki and Uramaki sushi
 - easy adjustability
 - high productivity 600 sheets per hour.
- Depending on the length of each formed rice sheet
- rice capacity 9 kg
 - rolling parts are made of high-quality plastic
 - easy to clean; washable parts can be removed in 60 seconds
 - frame material protects from dirt and heat
 - parts are made from stainless steel
 - motor has protection from overheating
 - emergency stop function



XTOP AUTOMATIC SUSHI RICE SHEETER TSM-900RS

Production Capacity | 600 sheets / per hour

Rice Capacity | 9kg


Dimension | W380×D550×H500(mm)

Weight | 39kg


Power Supply | AC100-240V 50/60HZ





Energy Usage | 120W

TECHNOLOGY INSIDE



**【 SUSHI RICE SMOOTHING ADJUSTMENT
 AND CONTROLLING 】**
 14 rice feeding blades unravel sushi rice evenly
 with softness adjusting control system.





OPERATION AND CLEANING



just pressing start button for making a rice sheet.



turn the dials for setting and adjusting the size or volume of rice sheets.



Removing parts takes 60 seconds and they need to be cleaned one in a day.



You can chose the width of rice sheet, either 180 mm or 200 mm when you purchase it.


DURABILITY



Japanese manufactured motor with overheated protection guarantees durability and long life use.



The sensor IP67 type is excellent in waterproofness and oil resistance.




Main parts are made of stainless steel 304 type for making rust resistant and strength of structure.



Body material is selected for protecting from shock, dirt and heat.




The main electrical components are harness type, making it easy to replace them in case of failure.



The hopper is treated with a high quality Teflon-coated Dupont product that does not adhere to sushi rice.

SPECIFICATION

SUSHI ROLL MACHINE FOR RICE SHEET (TSM-900RS)/Specifications



Specifications

| | |
|--------------|--|
| Type | SUSHI ROLL MACHINE FOR RICE SHEET |
| Model | TSM-900RS |
| Dimension | W380×D550×H500(mm) |
| Weight | 39kg |
| Power Supply | AC100-120V 50Hz/60Hz 1.2A AC220-240V 50Hz/60Hz 0.6A |
| Consumption | 120W |

TOP.,INC.

PRODUCT FACTSHEET

Product Name

SUSHI ROLL MACHINE FOR RICE SHEET

Type

TSM-900RS

Country of use

TSM-900RS TypeA USA, CANADA, 100-120V area

TSM-900RS TypeB Europe, Oceania, Asia, South America, Middle East, Russia, 220-240V

Standards: UL/NSF, CSA

Production capacity: 600 sheets per hour

Body Dimensions: W38 x D550 x H50cm

Body Weight: 39kg

Power Supply:

TSM-900RS TypeA : 115V 50/60Hz

TSM-900RS TypeB : 220-240V 50/60Hz

Power Consumption: 120W

Sushi rice Capacity: 9kg

Option Roller Unit: * rice sheet width you can choose

[normal type] 180 mm width

[wide type] 200 mm width

[multi type] both 180 mm and 200 mm width